

Tyree X-ray micro-CT Facility X-ray Analysis Facility

1. Rates for access to micro-CT imaging facility, and Image analysis services. Rates are in AU\$, ex-GST.

	Internal rates ^(a)	Institutional rate(b)	Commercial rate ^(c)
		(ex-GST)	(ex-GST)
HeliScan micro-CT	Sample preparation	Sample preparation	Sample preparation
	\$250	\$250	\$400
	Scanning Rates	Scanning Rates	Scanning Rates
	\$40/hour	\$60/hour	\$100/hour
CoreTOM micro-CT	Sample preparation	Sample preparation	Sample preparation
	\$250	\$250	\$400
	Scanning Rates	Scanning Rates	Scanning Rates
	\$60/hour	\$80/hour	\$150/hour
	Dynamic scan - \$670/day	Dynamic scan - \$810/day	,
Radiograph	\$100/hour	\$100/hour	\$200/hour
	minimum 2 hours	minimum 2 hours	minimum 2 hours
	booking	booking	booking
Image	Assisted: \$100/hour	Assisted: \$100/hour	\$200/hour
Analysis/Visualization	Unassisted ^(d) : free	Unassisted ^(d) : free	
Struers Minitom	\$40/hour	\$80/hour	\$200/hour

- a. Internal rate is applicable to all UNSW account holders (including affiliated institutes), ADFA and LIEF Partners.
- b. Institutional rate is applicable to all other Universities, and Government institutions including ANSTO, and CSIRO.
- c. The commercial rate covers all other non-government users.
- d. Use of image analysis computers is free only for academic users who acquire data in our lab and wish to do their image processing independently.

Note: Users are not allowed to operate the micro-CT equipment and only lab staff certified with EPA's radiation license operates the instrument for all sample submissions.

2. **Bulk Sample/Research collaboration Rates** - Micro-CT imaging is usually charged per sample. For bulk sample price negotiation, research collaboration price and other imaging related enquiries, please contact micro-CT lab manager or staff at TyreeXray@unsw.edu.au

3. Staff Contact

Amalia Halim, Lab Manager

a.halim@unsw.edu.au

Daniel Morris, Technical Officer

daniel.morris1@unsw.edu.au

Vedapriya Pandarinathan, Technical Officer

v.pandarinathan@unsw.edu.au

4. Unit Head

To be updated.